



175MemorialHighway.Suite1-1  
NewRochelle,NY  
1080

914-460-489  
fuse@fuseinfusion.com  
914-460-4571

\_\_\_\_\_ ok the switch to biosimilar if insurance formulary prefers

# Canakinumab (Ilaris)

## Provider Order Form

Date: \_\_\_\_\_

PATIENT INFORMATION		
Name:	DOB:	SEX: M <input type="checkbox"/> F <input type="checkbox"/>
ICD-10 code (required):	ICD-10 description:	
<input type="checkbox"/> NKDA Allergies:	Weight lbs/kg:	

REFERRAL STATUS		
<input type="checkbox"/> New Referral	<input type="checkbox"/> Referral Renewal	<input type="checkbox"/> Medication/Order Change <input type="checkbox"/> Benefits Verification Only <input type="checkbox"/> Discontinuation Order

PHYSICIAN INFORMATION		
Referral Coordinator Name:	Referral Coordinator Email:	
Ordering Provider:	Provider NPI:	
Referring Practice Name:	Phone:	Fax:
Practice Address:	City:	State: Zip Code:

**OBSERVATION (PLEASE SELECT BELOW)**

Patient is required to stay for 30 minutes observation period

Patient is NOT required to stay for observation time

Other: \_\_\_\_\_

**SPECIAL INSTRUCTIONS**

**THERAPY ADMINISTRATION**

**Canakinumab (Ilaris)**

**For Stills Disease including Adult Onset Stills Disease and Systemic Juvenile Idiopathic Arthritis.**

4mg/kg (with a max of 300mg) for patients with a body weight greater than or equal to 7.5kg subcutaneous every 4 weeks

**For Cryopyrin-Associated Periodic Syndromes (CAPS)**

150mg for patients with body weight greater than 40kg subcutaneous every 8 weeks

2mg/kg for patients with body weight greater than or equal to 15kg and less than or equal to 40kg subcutaneous every 8 wks

**For Tumor Necrosis Factor Receptor Associated Periodic Syndrome, Hyperimmunoglobulin D Syndrome/Mevalonate Kinase Deficiency, Familial Mediterranean Fever**

*Body weight less than or equal to 40kg*

2mg/kg subcutaneous every 4 weeks

4mg/kg subcutaneous every 4 weeks - consider if clinical response not adequate.

*Body weight greater than 40kg*

150mg subcutaneous every 4 weeks

300mg subcutaneous every 4 weeks - consider if clinical response not adequate.

Refills:  Zero /  for 12 months /  \_\_\_\_\_ (if not indicated order will expire one year from date signed)

**NOTES/ADDITIONAL COMMENTS:**

### ORDERING PROVIDER

Signature X \_\_\_\_\_ Date \_\_\_\_\_

Provider \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_